

## บรรณานุกรม

- กำพล ศรีวัฒนกุล. (2551). ทำอย่างไรให้ห่างไกลจากภาวะสมองเสื่อม. กรุงเทพฯ: สยามสปอร์ท ชินดิเคท.
- กัมมันต์ พันธุ์มุจินดา. (2550). สมองเสื่อม โรคหรือวัย. กรุงเทพฯ: โครงการจัดพิมพ์คบไฟ.
- คณะกรรมการการจัดทำแบบทดสอบสภาพสมองเบื้องต้นและสถาบันเวชศาสตร์ผู้สูงอายุ. (2542). แบบทดสอบสภาพสมองเบื้องต้น ฉบับภาษาไทย (MMSE-T). กรุงเทพฯ: กรมการแพทย์ กระทรวงสาธารณสุข.
- ชุตima สีบังศิลี. (2548). การสำรวจภาวะสมองเสื่อมในผู้สูงอายุ อำเภอเมือง จังหวัดนครสวรรค์. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- ทิศนา แรมณี. (2549). รูปแบบการเรียนการสอน: ทางเลือกที่หลากหลาย. กรุงเทพฯ: จุฬาลงกรณ์มหาวิทยาลัย.
- ธนศักดิ์ เทียทอง. (2550). เกสัชบำบัดในโรคที่มีการเสื่อมของระบบประสาทส่วนกลาง. ใน เอกสารประกอบการเรียนวิชาเภสัชบำบัดประยุกต์ 4, ม.ป.ท., หน้า 28-53.
- นิตยา ภาสุนันท์. (2548). ปัญหาความพร่องในการสื่อสาร ความจำและการเรียนรู้. ใน จันทนา รณฤทธิ์ชัย และวิไลวรรณ ทองเจริญ (บรรณาธิการ), หลักการพยาบาลผู้สูงอายุ. กรุงเทพฯ: บุญศิริการพิมพ์.
- นันทิกา ทวีชาติ. (2551). ออกกำลังสมองก่อนนอนจะเสื่อม. วารสารสมาคมจิตแพทย์แห่งประเทศไทย, 53(1), 152-157.
- พูนศรี รังสีชีวี. (2552). Dementia in clinical practice. วารสารประสาทวิทยาศาสตร์ภาคตะวันออกเฉียงเหนือ, 4(3), 1-13.
- มยุรี กลับวงศ์. (2549). การฝึกความจำในผู้สูงอายุที่มีความจำบกพร่อง. วิทยานิพนธ์ปริญญา มหาบัณฑิต, สาขาวิชาสุขภาพจิต, คณะแพทยศาสตร์, จุฬาลงกรณ์มหาวิทยาลัย.
- เมฆตา โพธิ์คลิน. (2546). โรคอัลไซเมอร์. วารสารมหาวิทยาลัยเฉลิมพระเกียรติวิชาการ, 7(13), 54-56.
- รัชนีวรรณ แก้วรังสี. (2553). วิธีการเสริมสมองป้องกันอัลไซเมอร์และสมองเสื่อม. กรุงเทพฯ: สำนักพิมพ์ Feel Good.
- วรกร วีระกุล. (2554). สมองดีมีชัยไปกว่าครึ่ง เทคนิคง่าย ๆ บำรุง-ดูแล-พัฒนา. กรุงเทพฯ: ห้างหุ้นส่วนจำกัดซีเอ็นดีเอ็น.
- wareeja ภวภูตานันท์ ณ มหาสารคาม. (2547). ปรัชญาขั้นแนะนำ: กระแสคิดที่ทรงอิทธิพลต่อโลก, หนังสือชุดนักคิดสะท้านโลกน์ 1. กรุงเทพฯ: สำนักพิมพ์ชี瓦วิถี.
- วรารณ์ จัตุล. (2549). ผลของการฝึกความจำแบบการสร้างจินตภาพในผู้สูงวัย. วิทยานิพนธ์ วิทยาศาสตรมหาบัณฑิต สาขาวิชาสุขภาพจิต, คณะแพทยศาสตร์, จุฬาลงกรณ์มหาวิทยาลัย.

- วิลาวัณย์ ไซยองศ์. (2548). ประสิทธิผลของโปรแกรมการฝึกความจำในผู้สูงอายุ. *วิทยานิพนธ์ พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย, มหาวิทยาลัย เชียงใหม่.*
- วีรศักดิ์ เมืองเพศala. (2552). ภาวะสมองเสื่อมในผู้สูงอายุและการป้องกัน. ใน *ประเสริฐ อัลสันตชัย (บรรณาธิการ), ปัญหาสุขภาพที่พบบ่อยในผู้สูงอายุและการป้องกัน. กรุงเทพฯ: ยุเนียนครีเอชั่น.*
- วันดี โภคกุล และจิตนภา วนิชารัตน์. (2550). การดูแลผู้ป่วยภาวะสมองเสื่อมสำหรับบุคลากรสาธารณสุข. กรุงเทพฯ: ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย.
- ศิริพันธุ์ สาสัตย์. (2551). การดูแลผู้ป่วยสมองเสื่อมในประเทศไทยการศึกษาการดูแลผู้สูงอายุที่มีอาการสมองเสื่อมโดยครอบครัวในสังคมพุทธศาสนาในประเทศไทย. *วารสารพยาบาลวิทยาและเวชศาสตร์ผู้สูงอายุ, ปีที่ 1, ฉบับที่ 4, หน้า 15-24.*
- ศุภกิจ วงศ์วิพัฒนุกิจ. (2550). พจนานุกรมคำที่การวิจัยและสถิติ. กรุงเทพฯ: สำนักพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.
- สมจิต หนูเจริญกุล. (2551). *การดูแลคน老: ศาสตร์และศิลปะทางการพยาบาล. กรุงเทพฯ: ภาควิชาพยาบาลศาสตร์, คณะแพทยศาสตร์, มหาวิทยาลัยมหิดล.*
- สถาบันวิจัยประชากรและสังคม. (2553). *ข้อมูลประชากรประเทศไทย. สารประชากรมหาวิทยาลัยมหิดล, ปีที่ 19, ฉบับที่ 56, หน้า 36-43.*
- สถาบันประชาธิรัฐ. (2551). *แนวทางเวชปฏิบัติภาวะสมองเสื่อม (ฉบับเรียบเรียงครั้งที่ 2). กรุงเทพฯ: กระทรวงสาธารณสุข.*
- สถาบันเวชศาสตร์ผู้สูงอายุ. (2548). *การดูแลรักษาโรคผู้สูงอายุแบบสนับสนุนวิชาชีพ. กรุงเทพฯ: ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทย จำกัด.*
- สถาทีปรึกษาเศรษฐกิจและสังคมแห่งชาติ. (2552). *แนวทางการจัดบริการสวัสดิการสังคมแก่ผู้สูงอายุในชนบทของภาคตะวันออกเฉียงเหนือ. กรุงเทพฯ: ยุเนียนครีเอชั่น.*
- สิรินทร์ อั้นศิริกัญจน์. (2551). *เทคนิคดูแลผู้สูงอายุ. กรุงเทพฯ: หน่วยเวชศาสตร์ผู้สูงอายุ คณะแพทยศาสตร์ โรงพยาบาลรามาธิบดี.*
- สุชาดา กรเพชรปานี. (2547). *วิธีการทางสถิติสำหรับการวิจัย. ภาควิชาวิจัยและวัดผลการศึกษา. คณะศึกษาศาสตร์ มหาวิทยาลัยบูรพา.*
- สุนี ธนาเลิศกุล. (2549). *ตัวรับยาใกล้ตัว. กรุงเทพฯ: วีดเคอร์ส ไดเจสท์.*
- สุทธิชัย จิตพันธุ์กุล และคณะ. (2550). *ปัญหาสุขภาพของผู้สูงอายุไทย. กรุงเทพฯ: สถาบันวิจัยสาธารณสุขไทย มูลนิธิสาธารณสุขแห่งชาติและสำนักนโยบายและแผนสาธารณสุข กระทรวงสาธารณสุข.*
- สุขพัชรา ชี้ม่เจริญ. (2554). *บริหารสมองชะลอความเสื่อม. กรุงเทพฯ: สำนักพิมพ์หม้อชาวบ้าน.*
- อรรถสิทธิ์ เวชชาชีวะ. (2546). *คลินิกเวชปฏิบัติปริทัศน์: ภาวะสมองเสื่อม. วารสารคลินิก, ปีที่ 9, ฉบับที่ 6, หน้า 16-19.*

- เอกอุมา วิเชียรทอง. (2547). ผลการใช้โปรแกรมฝึกความจำต่อความจำต่อผู้สูงอายุสมองเสื่อมระดับน้อย. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต, สาขาวิชาการพยาบาลสุขภาพจิตและจิตเวช, คณะพยาบาลศาสตร์, มหาวิทยาลัยมหิดล.
- Alessandra, M., Sweeney, A., & Pavuluri, N. (2010). Emotion Processing Influences Working Memory Circuits in Pediatric Bipolar Disorder and Attention Deficit Hyperactivity. *Psychol Med*, 29(6): 1311-23.
- Alzheimer, A. (2010). *Alzheimer's Disease Facts and Figures 2010*, Retrieved March 27, 2010, from Web site:  
[http://www.alz.org/alzheimers\\_disease\\_facts\\_figures.asp](http://www.alz.org/alzheimers_disease_facts_figures.asp)
- American Psychiatric Association. (2000). *Diagnostic and Statistical Manual of Mental Disorders: DSM- IV- TR* (4th ed.). Washington DC: American Psychiatric Association.
- Andrea, B. (2009). Missed and Delayed Diagnosis of Dementia in Primary Care: Prevalence and Contributing Factors. *Alzheimer Dis Assoc Disord*, 23(4), 306–314.
- Antonio, H.L., Steven, W.K., & Jonathan, D.W. (2009). Encoding of gustatory working memory by orbitofrontal neurons. *Journal Neurosci*, 29(3), 765–774.
- Ayres, A.J. (1972). Sensory Integration & learning disorders. Los Angeles : Western Psychological Services. Disorder. *Journal Child Adolesc Psychiatry*, 49(10), 1064–1080.
- \_\_\_\_\_. (2010). *Sensory Integration and the child*. Los Angeles: Western Psychological Services.
- Ballard, C., Brien O., Reichelt, K., & Perry, E.K. (2002). Aromatherapy as a safe and effective treatment for the management of agitation in severe dementia: The results of a double-blind, placebo-controlled trial with Melissa. *Journal of Clinical Psychiatry*, 63(7), 553-558.
- Barnes, D.E., Covinsky, K.E., Whitmer, R.A., Kuller, L.H., Lopez, O.L., & Yaffe, K. (2009). Predicting risk of dementia in older adults. *Neurology*, 25(5), 59-65.
- Belle, S.H., Burgio, L., Burns, R., Coon, D., Czaja, S.J., & Thompson, D.G. (2006). Enhancing the quality of life of dementia caregivers from different ethnic or racial groups. *Annals of Internal Medicine*, 145(10), 727-738.
- Bryer, D. (2004). Empowerment Groups: An Adventure in Early Stage Programming. Missouri, The Missouri Coalition of Alzheimer's Association Chapters, Alzheimer's Association. *Psychol Med*, 29(6), 1305-1315.

- Burgio, L., Corcoran, M., Lichstein, K.L., Nichols, L., Czaja, S., & Gallagher-Thompson, D. (2001). Judging outcomes in psychosocial interventions for dementia caregivers: The problem of treatment implementation. *The Gerontologist*, 41(4), 481-489.
- Caltagirone, C., Bianchetti, A., Luca, M.D., Mecocci, P., Padovani, A., & Pirlo, E. (2005). Guidelines for the treatment of alzheimer's disease from the Italian Association of Psychogeriatrics. *Drug & Aging*, 22(1), 1-26.
- Chandler, M.J., Lacritz, L.H., Cicerello, A.R., Chapman, S.B., Honig, L.S. & Weiner, M.F. (2004). Three-word Recall in Normal Aging. *J Clin Exp Neuropsychol*, 26(8), 1128-1133.
- Chengxuan, Q., Miia, K., & Eva, V.S. (2009). Epidemiology of Alzheimer's disease: occurrence, determinants, and strategies toward intervention. *Dialogues in Clinical Neuroscience*, 11(2), 155-162.
- Cynthia, L.D., & Susan, M.M. (2009). Current Treatments for Sleep Disturbances in Individuals With Dementia. *Curr Psychiatry Rep*, 11(1), 20-26.
- Delgado, M.L. (2005). Training program in strategies to improve memory. *Rev Neurol [online]* 2005 Aug[cited 2006 Jul 7], 33(4), 369-72, Available from:<http://www.ncbi.nlm.nih.gov>.
- Dias, A., Dewey, M.E., Souza, D.J., Dhume, R., Motghare, D., & Shaji, D. (2008). The effectiveness of a home care program for supporting caregivers of persons with dementia in developing countries: A randomized controlled trial from Gao, India. *The Public Library of Science ONE*, 3(6), 1-7. Retrieved February 3, 2010, from PubMed Central database, <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2396286/pdf/pone.0002333.pdf?tool=pmcentrez>.
- Dominique, D., Aimen, M., Elias, A., Melissa, S., Franc, A., & Steven, C. (2010). A Novel Neural Substrate for the Transformation of Olfactory Inputs into Motor Output. *PLoS Biology*, 8(16), 46-57.
- Dunn, W. (1999). *Manual for the sensory profile*. Austin Texas: Psychological Corporation.
- Duthie, E.H., Katz, P.R., & Malone, M.L. (2007). *Practice of Geriatrics*. (4th ed.). Philadelphia: Saunders.
- Eamon, O.S., Declan, D., Kathy, M., Adeline, C., Dympna, C., & Fionnuala, J. (2011). Effectiveness of a structured education reminiscence-based programme for staff on the quality of life of residents with dementia in long-stay units: A study protocol for a cluster randomised trial. *BioMed*, 12(18), 86-94.

- Eleanor, A.M., & Demis, H. (2011). Role of the hippocampus in imagination and future thinking. *PNAS*, 108(52), 56-64.
- Elisa, A., Aimee, S., Juanita, H., Ian, T.R., Martin, K., & Robert, T.W. (2011). Maintenance Cognitive Stimulation Therapy (CST) for dementia: A single-blind, multi-centre, randomized controlled trial of Maintenance CST vs. CST for dementia. *Biomed*, 11(16), 856-864.
- Eric, J. (1998). Teaching with the Brain in Mind. *New England Journal of Medicine*, 34(5), 780-788.
- Folstein, M.F., Folstein, S.E., & McHugh, P.R. (1975). Mini-Mental State': a practical method for grading the cognitive state of patients for the clinician. *Journal of Psychiatric Research*, 12(5), 189-198.
- Fumiaki, I., Albert, E.A., Pasko, R., & Charles, A.G. (2011). Timing of neurogenesis is a determinant of olfactory circuitry. *Nat Neurosci*, 14(3), 331-337.
- Georgina, C., Karen, B., Jennifer, B., Zoe, H., Juanita, H., & Jennifer, W. (2011). Peer support for family carers of people with dementia, alone or in combination with group reminiscence in a factorial design: study protocol for a randomised controlled trial. *BioMed*, 13(8), 123-131.
- Gerhard, W.E., Thomas, L., Stefan, K., & Michael, H. (2010). New developments in the Diagnosis of Dementia. *Psychology and Psychotherapy*, 21(2), 201-209.
- Gitlin, L.N., Winter, L., Dennis, M.P., & Hauck, W.W. (2009). A non-pharmacological Intervention to manage behavioral and psychological symptoms of dementia and reduce caregiver distress: Design and methods of project ACT. *Clinical Interventions in Aging*, 2(4), 695-703.
- Ham, R.J., Sloane, P.D., Warshaw, G.A., Bernard, M.A., & Flaherty, E. (2007). *Primary Care Geriatrics a Case-Based Approach* (5th ed.). Philadelphia: Mosby.
- Heather, M.T., Anne, W., Ian, O., & Christopher, B. (2011). The experience of palliative patients and their families of a family meeting utilised as an instrument for spiritual and psychosocial care: A qualitative study. *Biomed*, 10(7), 64-72.
- Holmes, C., Hopkins, V., Hensford, C., MacLaughlin, V., Wilkinson, D., & Rosenvinge, H. (2002). Lavender oil as a treatment for agitated behaviour in severe dementia: A placebo controlled study. *International Journal of Geriatric Psychiatry*, 17(4), 305-308.
- Isabel, A.M., Liat, L., Jayant, K., Joseph, M., Clifford, K., & Matthew, S. (2008). Attention Enhances the Retrieval and Stability of Visuospatial and Olfactory Representations in the Dorsal Hippocampus. *PLoS Biology*, 7(10), 56-61.

- Jacob, H.G., Sienna, C., & Stuart, W.M. (2011). Clinical features and multidisciplinary approaches to dementia care. *Journal of Multidisciplinary Healthcare* 2011, 4(5), 125–147.
- John, T.C., & Louise, C.H. (2009). Brain Activation while Thinking about the Self from Another Person's Perspective after Traumatic Brain Injury in Adolescents. *Trends. Cogn Sci*, 13(10), 447–454.
- Johnson, B., & Christensen, L. (2004). Educational research: quantitative, qualitative and mixed approaches. (2th ed.). Boston: Pearson Allyn and Bacon.
- Jonathan, A., Scolnick, K.C., Cynthia, D.D., Shouhong, X., Xiao-bing, Y., & Argiris, E. (2008). Role of IGF Signaling in Olfactory Sensory Map Formation and Axon Guidance. *Neuron*, 57(6), 847–857.
- Joyce, B., & Weil, M. (2004). Methods of Teaching. Boston: Pearson.
- Kaplan, R., Saccuzzo, M., & Dennis, P. (2009). *Psychological Testing: Principles, Applications, and Issues*. (7th ed.). Belmont (CA): Wadsworth.
- Karan, S.K., Betty, S.B., Marie, T.N., & Peter, V.R. (2009). Research on treating neuropsychiatric symptoms of advanced dementia with non-pharmacological strategies, 1998–2008: a systematic literature review. *Int Psychogeriatr*, 21(5), 825–843.
- Kai, E., & Neal, J.R. (2008). The Functional Theory of Counterfactual Thinking. *Pers Soc Psychol Rev*, 12(2), 168–192.
- Kawashima, R., Okita, K., Yamazaki, R., Tajima, N., Yoshida, H., & Taira, M. (2008). Links Reading aloud and arithmetic calculation improve frontal function of people with dementia. *Journal Gerontol A Biol Sci Med Sci*, 60(3), 380–384.
- Keith, O.Y., Erin, D.B., Maureen, D., Cynthia, A.G., Kenneth, H.R., & Terry, S. (2007). Social Outcomes in Childhood Brain Disorder: A Heuristic Integration of Social Neuroscience and Developmental Psychology. *Psychol Bull*, 133(3), 535–556.
- Kimberly, A.S., George, F., Denis, A.E., & Carlos, F.M. (2011). Daily Spiritual Experiences in a Biracial, Community-based Population of Older Adults. *Aging Ment Health*, 14(7), 779–789.
- Ladson, H., Carol, E.F., Geetha, R., Yvette, F., Kravitz, L., & Barker, C. (2008). Religious and Spiritual Dimensions of the Vietnamese Dementia Caregiving Experience. *Hallym Int J Aging HJA*, 10(2), 139–160.
- Ladson, H., Darin, C., & Alexandra, V. (2010). Making sense of behavioral disturbances in persons with dementia: Latino family caregiver attributions of Neuropsychiatric Inventory domains. *Alzheimer Dis Assoc Disord*, 23(4), 401–405.

- Landefeld, C.S., Palmer, R.M., Johnson, M.A., Johnston, C.B., & Lyons, W.L. (2004). *Current Geriatric Diagnosis & Treatment*. Singapore: McGraw-Hill.
- Laura, M., & Kristine, Y. (2009). Promising Strategies For The Prevention Of Dementia. *Arch Neurol*, 66(10), 1210–1215.
- Laura, N.G., Laraine, W., Tracey, V.E., Adel, H.E., & Nancy, L.C. (2009). The Tailored Activity Program to Reduce Behavioral Symptoms in Individuals With Dementia: Feasibility, Acceptability, and Replication Potential. *The Gerontologist*, 49(3), 428–439.
- Lawrence, C.K. (1999). *Neurobics is a unique new system of brain exercises*. USA: Howard Hughes Medical Institute.
- \_\_\_\_\_. (2010). *Keep Your Brain Alive: 83 Neurobic Exercises to Help Prevent Memory Loss and Increase Mental Fitness*. University Medical Center, Durham, North Carolina.
- Magaret, G.E. (2005). The Brain to Avoid Dementia: Can Mental Exercise Prevent Alzheimer's Disease?. *PLoS Med*, 2(10), 45-52.
- Mary, R.N., Randall, S.S., Gerri, H., Chu, Z., Joel, L.S., & Jill, V.H. (2010). Brain Activation while Thinking about the Self from Another Person's Perspective after Traumatic Brain Injury in Adolescents. *Neuropsychology*, 24(2), 139–147.
- Mathias, L., Beat, M., & Carmen, S. (2008). Stress Effects on Working Memory, Explicit Memory, and Implicit Memory for Neutral and Emotional Stimuli in Healthy Men. [online]. Available from: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2628592&tool=pmcentrez> (28 April 2008).
- Morris, J.C. (1993). The clinical dementia rating (CDR): Current version and scoring rules. *Neurology*, 43(11), 2412-2414.
- Nancy, K., & Janet, M. (2002). *An OT and SLP Team Approach: Sensory and Communication Strategies that work*. Las Vegas.: Sensory Resource.
- O'Brien, J., Ames, D., & Burns, A. (2000). *Dementia*. (2th ed.). London: Arnold.
- Paul, K.C., Laura, E.G., Keerthi, A., Viet, N., Kristoffer, R., & Susan, M.M. (2009). Midlife use of written Japanese and protection from late life dementia. *Epidemiolog*, 2009 September, 20(5), 766–774.
- Perry, M., Draskovic, I., Achterberg, T.V., Borm, G.F., Eijken, M.V., & Lucassen, P.L. (2008). Can an EASYcare based dementia training programme improve diagnostic assessment and management of dementia by general practitioners and primary care nurses? The design of a randomized controlled trial. *BMC Health Services Research*, 5(8), 71-79.

- Philippe, R., Kateri, Mc., Wiveka, R., & James, J. (2008). The Neural Bases of Emotion Regulation: Reappraisal and Suppression of Negative Emotion. *Biol Psychiatry*, 63(6), 577–586.
- Porth, C.M. (1998). *Pathophysiology: Concepts of Altered Health States*. (5th ed.). Philadelphia: Lippincott.
- Rabins, P.V., Blacker, D., Rovner, B.W., Rummans, T., Schneider, L.S., Tarot, P.N., & Blass, D.M. (2007). *Practice guideline for the treatment of patients with alzheimer's disease and other dementias*. Retrieved October 18, 2009, from <http://www.psychiatryonline.com/pracGuide/loadGuidelinePdf.aspx?file=AlzPG101007>
- Raj, N.K., Gladys, E.M., Raul, A., Robert, P.F., Doug, G., & Kathleen, H. (2008). Alzheimer's disease and vascular dementia in developing countries: prevalence management and risk factors. *Lancet Neurol*, 7(9), 812–826.
- Ritchie, K., Carrie're, I., Ritchie, C.W., Berr, C., Artero, S., & Ancelin, M.L. (2011). Designing prevention programmes to reduce incidence of dementia: prospective cohort study of modifiable risk factors. *BMJ* 2010, 3(4), 13-18.
- Robert, T.W., Errollyn, B., Rhianon, T.E., Barry, H., John, K., & Esme, D.M., (2009). Reminiscence groups for people with dementia and their family carers pragmatic eight-centre randomised trial of joint reminiscence and maintenance versus usual treatment: a protocol. *BioMed*, 5(12), 56-69.
- Robin, L.W., & Thomas, H.C. (2006). Video training of imagery for mature adults. *Applied cognitive Psy*, 6(4), 307-320.
- Rohani, O., Susie, H., Jonathan, W.B., Julia, C.H., Elizabeth, G., & Disa, A.S. (2011). The structural neuroanatomy of music emotion recognition: Evidence from frontotemporal lobar degeneration. *Neuroimage*, 56(3), 1814–1821.
- Ronald, P. (2008). The anatomy of sorrow: a spiritual, phenomenological, and neurological perspective. *Philosophy, Ethics, and Humanities in Medicine*, 3(17), 85-92.
- Saczynski, J.S., Beiser, A., Seshadri, S., Auerbach, S., Wolf, P.A., & Au, R. (2010). Depressive symptoms and risk of dementia. *Neurology*, 5(6), 126-135.
- Salzman, C., & Stefano, F. (2010). Emotion, Cognition, and Mental State Representation in Amygdala and Prefrontal Cortex. *Annu Rev Neurosci*, 33(6), 173–202.
- Sanya, F., Ronald, P., Hammer, Jr., & Ella, M.N. (2010). Short- and long-term effects of intermittent social defeat stress on BDNF expression in mesocorticolimbic brain regions. *Neuroscience*, 167(3), 598–607.

- Saori, C.T., Bernard, W.B. & John, P.O. (2008). Calculating consequences: Brain systems that encode the causal effects of action. *Neurosci*, 28(26), 46-55.
- Sekiguchi, A., & Kawashima, R. (2007). Cognitive rehabilitation--the learning therapy for the Senile dementia. *Aging and Cancer*, 59(7), 357-365.
- Sitzer, D. I., Twamley, E.W., & Jeste, D.V. (2006). Review Article Cognitive training in Alzheimer's disease:a meta-analysis of the literature. *Acta Psychiatry Scand*, 114(26), 75-90.
- Smallwood, J., Brown, R., Coulter, F., Irvine, E., & Coplard, C. (2001). Aromatherapy and behaviour disturbances in dementia: A randomized controlled trial. *International Journal of Geriatric Psychiatry*, 16(10), 1010-1013.
- Sorrentino, S.A., & Gorek, B. (2007). *Mosby's Textbook for Long-Term Care Nursing Assistants*. (5<sup>th</sup> ed.). Canada: Mosby.
- Steve, I., Jane, W., Mark, G., Priya, J., Ingela, T., & Tamar, K. (2011). *Evidence-based interventions in dementia: A pragmatic cluster- randomised trial of an educational intervention to promote earlier recognition and response to dementia in primary care (EVIDEM-ED)*. Research Department of Primary Care and Population Health, University College London.
- Steve, M.J., David, C.R., & Peggy, L.S. (2011). The temporal distribution of autobiographical memory: changes in reliving and vividness over the life span do not explain the reminiscence bump. *Springer*, 12(5), 124-133.
- Sung, H.C., Chang, A.M., & Abbey, S. (2006). Application of music therapy for managing agitated behavior in older people with dementia. *Biomed*, 5(53), 58-62.
- Timothy, P.D., Barbara, M.U., Sharon, W.W., & Laura, C.H. (2008). An Exploratory Study of Spiritual Care at the End of Life. *Annals of Family Medicine*, 6(5), 75-83.
- Villa, G., & Diane, S. (2005). Evaluating The Effectiveness of a Memory Skill training Class for Healthy and Impaired Older Adults. [online] 2005 [cited 2006 Jul 7]. Available from:<http://www.apa.org/monitor>
- Walter, W., Natalie, P., Ziad, N., & Howard, C. (2010). Sensitivity and specificity of the Montreal Cognitive Assessment modified for individuals who are visually impaired. *Journal of Visual Impairment & Blindness*, 104(6), 360-368.
- Wechsler, D. (1980). *Wechsler Adult Intelligence Scale*. Psychological Corporation. New York.
- \_\_\_\_\_. (1981). *Manual for the Wechsler Adult Intelligence Scale- Revised*. Psychological Corporation. New York.

Werheid, K. (2006). Cognitive training in Alzheimer's dementia. *Nervenarzt*, 77(5), 49-57.

Wolfsont, C. (2002). Behavioral Skills and Level of Understanding in Adults: A Brief Method Integrating Dennison's Brain Gym Balance with Piaget's Reflective Processes. *Journal of Adult Development*, 9(15), 187-203.

