

บรรณานุกรม

จักรกฤษณ์ สำราญใจ. (2544). การกำหนดขนาดกลุ่มตัวอย่างเพื่อการวิจัย. วันที่ค้นข้อมูล

14 ส.ค 2550, เข้าถึงได้จาก http://www.jakkrit.ipru.ac.th/pdf/27_11_44/9.pdf

จันทน์ ทองชื่น. (2545). ผลของระบบการพยาบาลแบบสนับสนุนและให้ความรู้ต่อพฤติกรรมการดูแลตนเองในผู้สูงอายุโรคข้อเข่าเสื่อม. วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต, สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

จาจวรรณ มนัสสุรการ. (2544). ภาวะเจ็บป่วยเรื้อรัง: ผลกระทบและการพยาบาล. สงขลา: คณะพยาบาลศาสตร์ มหาวิทยาลัยสงขลานครินทร์.

เจนเนตรา พลเพชร. (2546). พฤติกรรมสุขภาพและระดับความรุนแรงของผู้ป่วยโรคหัวใจภายหลังการจำหน่าย: โรงพยาบาลระดับทุติยภูมิแห่งหนึ่งในภาคใต้. วารสารพยาบาล, 52(2).

ฉัตราวัลย์ ใจอารีย์. (2533). ความสัมพันธ์ระหว่างการสนับสนุนทางสังคมกับพฤติกรรมการดูแลสุขภาพกับคุณภาพชีวิตของผู้ป่วยหัวใจวายเลือดคั่ง. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต, สาขาวิชาการพยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

ชุตินธร เวียนแพ. (2548). การจัดการตนของและความผิดสุกในผู้ป่วยภาวะหัวใจล้มเหลว. วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต, สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

เชียรศิริ วิวัฒน์. (2535). การศึกษาผู้ใหญ่และการศึกษานอกโรงเรียน : เทคนิคโล耶ทางการศึกษา (พิมพ์ครั้งที่ 2). กรุงเทพฯ: เอ็กซ์เพรส มีเดีย .

นฤภูใจ สอดิศย์ธนาภูร. (2545). ระเบียบวิธีการวิจัยทางการพยาบาล (พิมพ์ครั้งที่ 2). กรุงเทพฯ: โรงพิมพ์แห่งจุฬาลงกรณ์มหาวิทยาลัย.

แผนกวิเคราะห์และงานสถิติ. (2550). สถิติผู้ป่วยในปี 2550. ชลบุรี: โรงพยาบาลสมเด็จพระนางเจ้าสิริกิติ์ กรมแพทย์ทหารเรือ.

ฝ่ายข่าวและสื่อมวลชนสัมพันธ์กลุ่มสารนิเทศ. (2550). ข่าวเพื่อสื่อมวลชน สำนักงานสารนิเทศ และประชาสัมพันธ์กระทรวงสาธารณสุข. วันที่ค้นข้อมูล 23 ก.ค 2550, เข้าถึงได้จาก http://www.moph.go.th/ops/ops_iprg/include/admin_hotnew/show.

พรพิพิญ ธรรมวงศ์. (2541). ผลของการใช้ตัวแบบสัญลักษณ์ต่อความรู้เรื่อง การดูแลตนเองของผู้ป่วยจิตเภท. วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต, สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

พิกุล บุญช่วง. (2541). การพยายามผู้ป่วยภาวะหัวใจล้มเหลว. เชียงใหม่: โครงการตัวรำ
คณะพยาบาลศาสตร์, มหาวิทยาลัยเชียงใหม่.

พุทธชาติ สมณา. (2548). ผลของการให้ข้อมูลด้านสุขภาพต่อความเชื่อด้านสุขภาพ และ
พฤติกรรมการดูแลตนเองในผู้ป่วยหัวใจวายเลือดคั่ง. วิทยานิพนธ์พยาบาลศาสตร์
มหาบัณฑิต, สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย,
มหาวิทยาลัยเชียงใหม่.

มะลิวรรณ อังคงติ. (2548). ประสิทธิผลของการให้การดูแลในระยะเปลี่ยนตัวยแก่ผู้ป่วย
หัวใจวาย. วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต, สาขาวิชาการพยาบาลผู้ป่วย,
บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

เยาวภา บุญเที่ยง. (2545). การสนับสนุนทางสังคม พฤติกรรมสุขภาพและการกลับเข้าพักรักษา^ก
ในโรงพยาบาลของผู้สูงอายุหัวใจวายเลือดคั่ง. วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต,
สาขาวิชาการพยาบาลผู้ป่วย, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.

รังสรรค์ กาญจนวนิชย์ และ อภิชาต สุคนธรรพ. (2547). Heart failure. เชียงใหม่:
ไอแอมคอร์เก้ในเซอร์แอนด์เօร์ทีชีฟ.

วนิดา อินทรชา. (2538). ผลของการให้ข้อมูลด้านสุขภาพต่อความเชื่อด้านสุขภาพและ
พฤติกรรมการดูแลตนเองในผู้ป่วยหัวใจวายเลือดคั่ง. วิทยานิพนธ์พยาบาลศาสตร์
มหาบัณฑิต, สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย,
มหาวิทยาลัยเชียงใหม่.

วรรณ พิพิชรา. (2544). ผลของการพยาบาลด้วยระบบสนับสนุนและให้ความรู้ต่อ^ก
ความสามารถในการดูแลตนเองและคุณภาพชีวิตของผู้ป่วยหัวใจได้หายเรื้อรังที่รักษา^ก
ด้วยเครื่องไตเทียม. วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต, สาขาวิชาการณสุขศาสตร์,
บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

วรภรณ์ นาครัตน์. (2533). ความสัมพันธ์ระหว่างการสนับสนุนทางสังคมกับพฤติกรรมการเผชิญ^ก
ความเครียดของผู้ป่วยโรคหัวใจ. วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต, สาขาวิชา
พยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.

ศิริวัลล์ วัฒนสินธุ. (2534). ความสัมพันธ์ระหว่างความรู้เกี่ยวกับการดูแลตนเอง ปัจจัยพื้นฐาน^ก
กับความพร่องในการดูแลตนเองในผู้ป่วยภายหลังการผ่าตัดเปลี่ยนหัวใจ. วิทยานิพนธ์
วิทยาศาสตร์มหาบัณฑิต, สาขาวิชาการพยาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัย
มหิดล.

- ศุรินทร์ ทองยิม. (2544). ผลของการสอนอย่างมีแบบแผนต่อความรู้และพฤติกรรมการดูแลตนเอง ในผู้ป่วยหัวใจวายเลือดคั่ง. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต, สาขาวิชานาบาลสาธารณสุข, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- สมจิต หนูเจริญกุล. (2541). การพยาบาลทางอายุรศาสตร์ เล่ม 2 (พิมพ์ครั้งที่ 13). กรุงเทพฯ: วี.เจ.พรินติ้ง.
- สมจิต หนูเจริญกุล. (2536). การดูแลตนเอง: ศาสตร์และศิลป์ทางการพยาบาล. (พิมพ์ครั้งที่ 2). กรุงเทพฯ: วี.เจ.พรินติ้ง.
- ส่วนข้อมูลข่าวสารสาธารณสุข สำนักนโยบายและแผนสาธารณสุข. (2546). จำนวนและอัตราตายต่อประชากรแสนคน จำแนกตามสาเหตุที่สำคัญ พ.ศ 2544-2546. วันที่ค้นข้อมูล 1 เมษายน 2550, เข้าถึงได้จาก <http://www.moph.go.th>
- ศรีประภา ชัยสินธ. (2543). พัฒนาการด้านจิตใจของผู้สูงอายุ. วันที่ค้นข้อมูล 20 เมษายน 2550, เข้าถึงได้จาก <http://www.mahidol.ac.th/ra/rapc>
- ศิริวัฒน์ วัฒนสินธ. (2534). ความสัมพันธ์ระหว่างความรู้เกี่ยวกับการดูแลตนเอง ปัจจัยพื้นฐาน กับความพร่องในการดูแลตนเองในผู้ป่วยรายหลังการผ่าตัดเปลี่ยนลิ้นหัวใจ, วิทยานิพนธ์พยาบาลศาสตร์มหาบัณฑิต, สาขาวิชานาบาลศาสตร์, บัณฑิตวิทยาลัย, มหาวิทยาลัยมหิดล.
- อภิญญา วงศ์พิริยะรา, สุพัตรา บัวที, สมเสาวนุช จมุศรี, ങ. เยาว์ มีเทียน และ วิไลพร พิทักษานุรัตน์. (2546). ผลของการพยาบาลด้วยระบบสนับสนุนและให้ความรู้ต่อระดับความรู้พื้นฐานการดูแลตนเองและภาวะสุขภาพในผู้ป่วยที่มีภาวะหัวใจล้มเหลวเลือดคั่ง. มหาสารคาม: คณะพยาบาลศาสตร์ มหาวิทยาลัยมหาสารคาม
- อภิวันท์ แก้ววรรณรัตน์. (2544). การเขียนแผนการให้ความรู้ทางสุขภาพ. ชลบุรี: ชลบุรีการพิมพ์.
- อัจฉรา เดชาธิพิทักษ์. (2547). การพยาบาลผู้ป่วยภาวะวิกฤตในระบบหัวใจและหลอดเลือด Cardiovacular Critical Care Nursing. กรุงเทพมหานครฯ: ลิฟวิ่ง ทรานส์ มีเดีย.
- อุดมลักษณ์ สุภาวงศ์. (2548). ปัญหาและความต้องการของผู้ป่วยที่มีภาวะหัวใจล้มเหลวในสถานบริการสุขภาพพิเศษมหาวิทยาลัยเชียงใหม่. วิทยานิพนธ์พยาบาลศาสตร์ มหาบัณฑิต, สาขาวิชานาบาลผู้ป่วยเรื้อรัง, บัณฑิตวิทยาลัย, มหาวิทยาลัยเชียงใหม่.
- อุไร ศรีแก้ว. (2543). การพยาบาลผู้ป่วยหลอดเลือดหัวใจ: การดูแลต่อเนื่อง. สงขลา: ลิมบราเดอร์การพิมพ์.

- American Heart Association. (2006). *Heart disease and stroke statistics - 2006 update*. Retrieved February 14, 2006, from <http://www.americanheart.org>
- Ammon, S. (2001). Managing patients with heart failure American. *Journal of Nursing*, 101(12), 34 - 40.
- Artinian, N., Magnan, M., Christian, W., & Lange, M. (2002). What do patients know about their heart failure?. *Appl Nurs Res*, 15, 200-8.
- Braunwald, E. (2000). Heart failure. *Harrison's Principles of Internal Medicine*, New York: McGraw -Hill.
- Bondmass, M. D. (2002). *Outcomes of home management methods for chronic heart failure*. Retrieved April 2, 2007, from The Pro Quest database.
- Bosch, V., & Lynn, M. (2003). Effects quality of a supportive – educative nursing Intervention on Quality of life in patients with heart failure. Retrieved April 2, 2007, from The Pro Quest database.
- Bennett, S. J., Cordes, K. D., Westmoreland, G., Castro, R., & Donnelly, E. (2000). Self – care strategies for symptom management in patients with chronic heart failure. *Nursing Research*, 49(2), 139-145.
- Bekelman, D. B., Harranek, E. P., Becker, D. M., Kuntner, J. S., Peterson, p. p., Wittstein, H. S., Gottlieb, S. H., Yamashita, T. E., Fairoough, D. L., & Sydney, M. D. (2007). Symptoms, Depression, and Quality of Life in Patients With Heart Failure. *Journal of Cardiac Failure*, 13(8), 643 - 648.
- Bertagncli, L. (2000). Program to put the ill at ease: Disease management gains support. *Crain' Chicago Business*, 23 - 5.
- Caldwell, M. A., Peters, K. J., & Dracup, K. A. (2005). A simplified education program improves knowledge, self- care behavior and disease severity in heart failure patients in rural setting. *American Heart Journal*, 150(5), 983e7-e12.
- Carelock, J., & Clark, A. P. (2001). Heart failure: Pathophysiologic echanisms. *American Journal of Nursing*, 101(12), 26 - 32.

- Christopher, M. O'Connor. (2007). The new heart failure guidelines: Strategies for implementation. *American Heart Journal*, 153(4), Supplement 1-5.
- Dargie, H. J. (1996). What is heart failure?. In J. J. V. McMurray, J. G. F. Cleland, & G. B. Ball, (Eds.), *Heart Failure in Clinical*. St. Louis: Mosby.
- Doris, S. F., Diana, T. F., Woo, J., & Thompson, D. R. (2004). Correlates of psychological distress in elderly patients with congestive heart failure. *Journal of Psychosomatic Research*, 57, 573 - 581.
- Francis, G. S., Gassler, J. P., & Sonnenblick, E. H. (2001). Pathophysiology and diagnosis of heart failure. *The Heart*, 655 - 685.
- Gary, R. (2006). Self – care practices in women with diastolic heart failure. *Heart & Lung*, 35, 9 -19.
- Gendreau, M. A., & Dejohn, C. (2002). Responding to medical events during commercial airline flights. *Nursing Eng Journal Med*, 346, 1067 - 1073.
- Gibbons, R. J., Antman, E. M., & Alpert, L. S. (2001). ACC/AHA Guidelines for the evaluation and management of chronic heart failure in the adult: Executive summary. *Journal Am Coll Cardiol*, 38, 2010 -13.
- Grady ,L. K., Dracup, K., & Kennedy G. (2000). Team management of patient with heart failure, *Circulation*, 2443 -2456.
- Gwadry-Sridhar, F. H. (2005). *Education patients with heart failure*. Retrieved May 1, 2007, from the <http://www.Proquest.umi.com>.
- Holst, M., Willenheimer, R., Martensson, J., Lindholm, M., & Stromberg, A. (2007). Telephone follow- up of self care behaviour after a single session education of patients with heart failure in primary health care. *European Journal of Cardiovascular Nursing*, 6, 153 – 159.
- Hunt, S. A., Abraham, W. T, Chin, M. H., Feldman, A. M., Francis, G. S., & Ganiats, T. G. (2005). ACC/AHA 2005 Guideline update for the diagnosis and management of chronic heart failure in the adult . *Circulation*, 46, 1116 -1143.

- Jaarsma, T., Halfens, R., Tan, F., Huijer, H., Dracup, A. K., & Diederiks, J. M. (2000). Self care and quality of life in patients with advance heart failure: The effect of a supportive educational intervention. *Heart & Lung*, 29(5), 319-330.
- Katz, A. (2000). Molecular cellular basis of contraction. In W. Colucci (Ed.), *Atlas of Heart Failure* (2nd ed.). Philadelphia: PA Blackwell.
- Kenchaiah, S., Evans, J. C., & Levy, D. (2002). Obesity and the risk of heart failure. *Nurse English Journal Med*, 347, 305-13.
- Kinsella, A. (2000). Learning home telehealth: New opportunities. *Home Healthcare Nurse*, 18 (8), 507-511.
- Krumholz, H. M., Amatrudo, J., Smith, G. L., Mattera ,J. A., Roumanis, S.A., & Radford, M., J. (2002). Randomized trial of an education and support intervention to prevent readmission of patients with heart failure. *Journal an Coll Cardio*, 39, 83-9.
- Lane, D., Carroll, D., Ring, C., Beevers., D. G., & Lip, G. (2001). Mortality and quality of life 12 month after myocardial infarction: Effects of depression and anxiety. *Psychosom Med*, 63, 221 -30.
- Laramee, A. S., Levinsky, S. K., Sargent, J. , Ross, R., & Callas, P. (2003). Case management in a heterogeneous congestive heart failure population. *Arch Intern Med*, 16, 809-17.
- Levine, J. B., Covaino, N. A., & Slack, W. V., (1996). Psychological predictors of subsequent medical care among patient hospitalized with cardiac disease. *Journal Cardiopulmonary Rehab*, 16, 109 -16.
- Lewis, S. M., Heitkemper, M. M., & Dirksen, S. R. (2004). *Medical- surgical Nursing: Assessment and management of clinical Problem* (6th ed.). St. Louis: Mosby.
- Manson, J. E., Willett, W. C., & Stampfer, M. J. (1995). Body weight and mortality among women. *Nurse English Journal Med*, 333, 677 - 85.
- Martensson, J., Karlsson, J. E., & Fridlund, B. (1998). Female patients with congestive heart failure and their conception of the life situation. *Journal Adv Nurs*, 998(28), 1216 - 24.

- Mayou, R. A., Gill, D., Thompson, D. R., Day, A., Hicks, N., & Volmilk, J. (2000). Depressionanxiety as predictors of outcome after myocardial infarction: Effects of depression and anxiety. *Psychosom Med*, 62, 212 - 9.
- McMurray, J. J., & Stewart, S. (2000). Epidemiology, etiology, and prognosis of heart failure. *Heart*, 358, 432 - 4.
- Mohoney, J. S. (2001). An ethnographic approach to understanding the illness experiences of patients with congestive heart failure and their family member . *Heart Lung*, 30, 429 -36.
- Mueller, T., Vuckovic, k., Knox, D., Mischke, L., & William, R. (2000). Disease management in congestive heart failure. *Continious Care*, 11, 20 - 3.
- Orem, D. E., Taylor, S. G., & McLanghlin, R. K. (1995). *Nursing Concept of Practice* (5th ed.). St. Louis: Mosby.
- Orem, D. E. Taylor, S. G., & Mc Langhlin, R. K. (2001). *Nursing Concept of Practice*. (6th ed.). St. Louis: Mosby .
- Petrie, M., McMurray, J. (2001). Chages in notions about heart failure. *Lancet*, 358, 432-4
- Rasmusson, K. D., Hall, J. A., & Renlund, D. G. (2006). Heart failure epidemic boiling to the surface. *The Nurse Practitioner*, 31 (11), 12 - 21.
- Riegel, B., Carlson, B., & Glaser, D. (2000). Development and testing of a clinical tool measuring self – management of heart failure. *Heart & Lun: Journal of Critical Care*, 29(1), 4 -15.
- Rockwell, J., & Rigel, B. (2001). Predictors of self – care in persons with heart failure. *Heart Lung*, 30, 18 – 25.
- Romanelli, J., Fauerbach, J. A., Bush, D. E., & Ziegelstein, R. C. (2002). The significance of depression in older patients after myocardial infarction. *Journal Am Geriatr Soc*, 50, 817 - 22.
- Romualdo, B. (2007). Exercise training in chronic heart failure how to harmonize oxidative stress, sympathetic outflow, and angiotensin II. *Circulation*, 115, 3042 - 3044.

- Rumsfeld, J. S., Magid, D. J., & Plomondon, M., E. (2003). History of depression, angina and quality of life after acute coronary syndromes. *Am Heart Journal*, 145, 493 – 9.
- Senni, M., Tribouilloy, C. M., Rodeheffer, R. J., Jacobsen, S. J., Evans, J. M. & Bailey, K. R. (1999). Congestive heart failure in the community: Trends in incidence and survival in a 10 year period. *Arch Intern Med*, 159, 29 - 34.
- Stanley, M., & Prasum, M. (2002). Heart Failure in older adults: Key to successful management. *American Association of Critical Care Nurses*, 13(1), 94 -102.
- Stromberg, A., Martensson, J., Fridlund, B., Levin, L. A., Karlsson, J., E., & Dahlstrom, U. (2003). Nurse – led heart failure clinics improve survival and self care behavior in patients with heart failure: Result from a prospective, randomized trial, *Euro Heart Journal*, 24, 1014 – 23.
- Stewart, S. (2005). Financial aspect of heart failure programs of care. *Eur Heart Journal*, 27, 423 – 8.
- Stewart, S., Blue, L., Walker, A., Morrison, C., & McMurray, J. (2002). An economic analysis of specialist heart failure nurse management in the UK; Can we afford not to implement it?. *Eur Heart Journal*, 23, 1369 – 78.
- Subramanian, U., Eckert, G., Yeung, A., William, M., & Tierney. (2007). A single health status question has important prognostic value among out patient with chronic heart failure. *Journal of Clinical Epidemiolog*.
- Taylor., & Nuce, N. (2005). *Self- care education and readmission rate in heart failure*. Retrieved April 14, 2007, from the Pro Quest database.
- Thom, T., Haase, N., & Rosamond, W. (2006). Heart disease and stroke statistic Update: Paper presented at the American Heart Association Statistic Committee and Stroke Statistic Subcommittee. *Circulation*, 113, 85 -151.
- Thompson C. K. (2006). *The relationship among social support, spiritual well –being, uncertainty and self – care in class I – II heart failure patients*. Retrieved April 1, 2007, from the Pro Quest database.

- Todero, C. M., Laframbois, L. M., & Zimmerman, L. M. (2002). Symptom status and quality of life outcome of home base disease management program for heart failure patient. *Outcome Management*, 6(4), 161 -168.
- Timmins, F., & Horan, P. (2007). Self - care deficit nursing theory to contemporary coronary care nursing practice. *European Journal of Cardiovascular Nursing*, 632 - 639.
- Tully, K., C. (2002). Cardiovascular disease in older adult. *Advanced Practice Nursing with Older Adults: Clinical Guidelines*, 29 - 65.
- Van, W. M., Jaarsma, T., Moser , D. K., Veeger, N. J., Van, G. W., & Van, V. D. (2006). Compliance in heart failure patients: the importance of knowledge and beliefs. *European Journal of Cardiovascular Nursing*, 27, 434 – 40.