

บรรณานุกรม

- กรมการแพทย์. (2542). คู่มือแนวทางการดำเนินงานแก้ไขปัญหาการระบาดของยาบ้า ด้านการแพทย์และสาธารณสุข. กรุงเทพฯ: กองประสานการปฏิบัติการบำบัดรักษาผู้ติดยาและเสพติด กรมการแพทย์.
- กรมวิทยาศาสตร์การแพทย์. (2540). คู่มือการตรวจหายาบ้าในปัสสาวะ. นนทบุรี: กองวิเคราะห์วัตถุเสพติด กรมวิทยาศาสตร์การแพทย์.
- _____. (2541). *Method validation for formulation methods*. นนทบุรี: กองเครื่องสำอางและวัตถุอันตราย. กรมวิทยาศาสตร์การแพทย์.
- _____. (2542). รายงานการประชุมสัมมนาการป้องกันและแก้ไขปัญหายาเสพติดในสถานศึกษา. นนทบุรี: กองวิเคราะห์วัตถุเสพติด กรมวิทยาศาสตร์การแพทย์.
- พระราชบัญญัติยาเสพติดให้โทษ พุทธศักราช 2545. (2545, 30 กันยายน). ราชกิจจานุเบกษา. หน้า 8-25
- พระราชบัญญัติฟื้นฟูสมรรถภาพผู้ติดยาเสพติด พุทธศักราช 2545. (2545, 30 กันยายน). ราชกิจจานุเบกษา. หน้า 26-42
- ศิริพร สิงห์ทอง. (2541). วิเคราะห์แอมเฟตามีนและเมทแอมเฟตามีน (ยาบ้า) ในปัสสาวะ โดยเทคนิคก๊าซโครมาโตกราฟี-เฮดสเปซ. นนทบุรี: กองชีวะอนามัย กรมอนามัย.
- Agilent Technologies. (2000). *Method validation (Manual part No. H1184-90000)*. USA: Agilent Technologies.
- Alonso, L., Fontecha, J., & Juarez, M. (1999). Development of a headspace gas chromatographic-mass spectrometric method for determining methyl-ketones and secondary alcohol in blue cheese. *Journal of Chromatographic Science*, 37(4), 108-112.
- Buffington, R., & Wilson, M. K. (n.d). *Detector for gas chromatography- a practical primer*. USA: Hewlett Packard.
- Carlos, I. (2003). Analysis of total propionic acid in feed using headspace solid-phase microextraction and gas chromatography. *Journal of Chromatography A*, 1017, 161-166.

- Chai, X.-S., Luo, Q., & Zhu, J. Y. (2001). Analysis of nonvolatile species in a complex matrix by headspace gas chromatography. *Journal of Chromatography A*, 909, 249-257.
- Chinaka, S., Tanaka, S., Takayama, N., Komai, K., Ohshima, T., & Ueda, K. (2000). Simultaneous chiral analysis of methamphetamine and related compounds by capillary electrophoresis. *Journal of Chromatography B*, 749, 111-118.
- Cruwys, J. A., Dinsdale, R.M., Hawkes, F.R., & Hawkes, D. L. (2002). Development of static headspace gas chromatography procedure for the routine analysis of volatile fatty acids in wastewaters. *Journal of Chromatography A*, 945, 195-209.
- Frank, M., Dirk, W. L., Lars, K., & Burkhard, M. (2002). Automated headspace solid-phase dynamic extraction for the determination of amphetamines and synthetic designer drugs in hair samples. *Journal of Chromatography A*, 958, 231-238.
- George, S., & Braithwaite, R. A. (2000). Using amphetamine isomer ratios to determine the compliance of amphetamine abusers prescribed dexedrine. *Journal of Analytical Toxicology*, 24, 223-227.
- Hachenberg, H., & Schmidt, A. P. (1979). *Gas chromatographic headspace analysis* (2nd ed.). London: Heyden.
- Hayakawa, K., Hasegawa, K., Imaizumi, N., Wong, O. S., & Miyazaki, M. (1989). Determination of amphetamines-related compounds by high performance liquid chromatography with chemiluminescence and fluorescence detections. *Journal of Chromatography*, 464, 343-352.
- Hewlett Packard. (1995a). *Gas chromatography HP 6890 (Part No. G 1530-90310)* (2nd ed.). USA: Hewlett Packard Company.
- _____. (1995b). *Headspace sample manuals HP 7694 (Part No. G 1290-90310)* (2nd ed.). USA: Hewlett Packard Company.
- Hong-Ping, L., Gwo-Chen, L., & Jen-Fon, J. (2003). Determination of organochlorine pesticides in water using microwave assisted headspace solid-phase microextraction and gas chromatography. *Journal of Chromatography A*, 1012, 129-137.

- Hornbeck, C. L., Carrig, J. E., & Czarny, R. J. (1993). Detection of a GC/MS artifact peak as methamphetamine. *Journal of Analytical Toxicology*, *17*, 257-263.
- John, M. K., & Andrzej, P. (2003). Headspace microdrop analysis-an alternative test method for gasoline diluent and benzene toluene ethylbenzene and xylenes in used engine oils. *Journal of Chromatography A*, *983*, 205-214.
- Jose, L. P. P., Armando, G. P., Carmelo, G. P., & Bernardo, M. C. (2004). Detection of soil pollution by hydrocarbons using headspace mass spectrometry and identification of compounds by headspace fast gas chromatography mass spectrometry. *Journal of Chromatography A*, *1047*, 101-109.
- Jurado, C., Gimenez, M. P., Soriano, T., Menendez, M., & Repetto, M. (2000). Rapid analysis of amphetamine, methamphetamine, MDA, and MDMA in urine using solid-phase microextraction, direct on-fiber derivatization and analysis by GC-MS. *Journal of Analytical Toxicology*, *24*, 11-16.
- Kataoka, H., Lord, H. L., & Pawliszyn, J. (2000). Simple and rapid determination of amphetamine, methamphetamine, and their methylenedioxy derivatives in urine by automated in-tube solid-phase microextraction coupled with liquid chromatography-electrospray ionization mass spectrometry. *Journal of Analytical Toxicology*, *24*, 257-265.
- Kiel, J. S., Morgan, S. L., & Abramson, R. K. (1985). Effects of amine modifiers on retention and peak shape in reversed-phase high performance liquid chromatography. *Journal of Chromatography*, *320*, 313-323.
- Koide, I., Noguchi, O., Okada, K., Yokoyama, A., Oda, H., Yamamoto, S., & Kataoka, H. (1998). Determination of amphetamine and methamphetamine in human hair by headspace solid-phase microextraction and gas chromatography with nitrogen-phosphorus detection. *Journal of Chromatography B*, *707*, 99-104.
- Kolb, B. (1999). Headspace sampling with capillary columns. *Journal of Chromatography A*, *842*, 163-205.

- Krogh, M., Brekke, S., Tonnesen, F., & Rasmussen, K. E. (1994). Analysis of drug seizures of heroin and amphetamine by capillary electrophoresis. *Journal of Chromatography A*, 674, 235-240.
- Kuroda, N., Nomura, R., Al-Dirbashi, O., Akiyama, S., & Nakashima, K. (1998). Determination of methamphetamine and related compounds by capillary electrophoresis with UV and laser-induced fluorescence detection. *Journal of Chromatography A*, 798, 325-334.
- Lee, M. R., Song, Y. S., Hwang, B. H., & Chou, C. C. (2000). Determination of amphetamine and methamphetamine in serum via headspace derivatization solid-phase microextraction gas chromatography-mass spectrometry. *Journal of Chromatography A*, 896, 265-273.
- Lillsunde, P., & Korte, T. (1991). Comprehensive drug screening in urine using solid-phase extraction and combined TLC and GC/MS identification. *Journal of Analytical Toxicology*, 15, 71-81.
- Lord, H. L., & Pawliszyn, J. (1997). Method optimization for the analysis of amphetamines in urine by solid-phase microextraction. *Analytical Chemistry*, 69(19), 3899-3906.
- Macchia, T., Mancinelli, R., Gentili, S., Lugaresi, E. C., Raponi, A., & Taggi, F. (1995). Ethanol in biological fluids: Headspace GC measurement. *Journal of Analytical Toxicology*, 19, 241-246.
- Makino, Y., Suzuki, A., Ogawa, T., & Shirota, O. (1999). Direct determination of methamphetamine enantiomers in urine by liquid chromatography with a strong cation-exchange precolumn and phenyl- β -cyclodextrin-bonded semi-microcolumn. *Journal of Chromatography B*, 729, 97-101.
- Margaret, A. M., Zoltan, M., Barbara, E., David, A. B., Randy, W. P., & Roger, G. (2002). Quantitation of amphetamine, methamphetamine, and their methylenedioxy derivatives in urine by solid-phase microextraction coupled with electrospray ionization-high-field asymmetric waveform ion mobility spectrometry mass spectrometry. *Analytical Chemistry*, 74(13), 3071-3075.

- Mauri-Aucejo, A. R., Pascual-Marti, M. C., Llobat, M., Herraiz, A., & Cerdan, A. (2001). Fluorimetric determination of amphetamine in urine by flow injection with on-line liquid-liquid extraction. *Microchemical Journal*, 69, 199-204.
- Mestres, M., Busto, O., & Guasch, J. (2002). Application of headspace solid-phase micro extraction to the determination of sulphur compounds with low volatility in wines. *Journal of Chromatography A*, 945, 211-219.
- Moffat, A. C., Jackson, J. V., Moss, M. S., & Widdop, B. (1986). *Clarke's isolation and identification of drugs in pharmaceuticals, body fluids, and post-mortem material* (2nd ed.). London: Pharmaceutical Press.
- Mills, G. A., & Walker, V. (2000). Headspace solid-phase microextraction procedures for gas chromatographic analysis of biological fluids and materials. *Journal of Chromatography A*, 902, 267-287.
- Mitsushi, S., & Taizou, T. (2004). Applicability of headspace solid-phase microextraction to the determination of multi-class pesticides in waters. *Journal of Chromatography A*, 1028, 63-74.
- Myung, S. W., Min, H. K., Kim, S., Kim, M., Cho, J. B., & Kim, T. J. (1998). Determination of amphetamine, methamphetamine and dimethamphetamine in human urine by solid-phase microextraction (SPME) gas chromatography/mass spectrometry. *Journal of Chromatography B*, 716, 359-365.
- Namera, A., Watanabe, T., Yashiki, M., Kojima, T., & Urabe, T. (1999). Simple and sensitive analysis of nereistoxin and its metabolites in human serum using headspace solid-phase microextraction and gas chromatography-mass spectrometry. *Journal of Chromatographic Science*, 37(3), 77-82.
- Oscar, E., Begona, P., & Maria, T. T. (2003). Direct quantitation of volatile organic compounds in packaging materials by headspace solid-phase microextraction gas chromatography mass spectrometry. *Journal of Chromatography A*, 985, 247-257.
- Penton, Z. (1997). Blood alcohol determination with automated solid-phase microextraction (SPME) a comparison with static headspace sampling. *Journal Forensic Science*, 30 (1), 7-12.

- Tsuchihashi, H., Nakajima, K., Nishikawa, M., Shiomi, K., & Takahashi, S. (1989). Headspace gas chromatography of stimulants in urine by in-column trifluoroacetyl derivatization method. *Journal of Chromatography*, 467, 227-235.
- Ugland, H. G., Krogh, M., & Rasmussen, K. E. (1997). Aqueous alkylchloroformate derivatisation and solid-phase microextraction: Determination of amphetamines in urine by capillary gas chromatography. *Journal of Chromatography B*, 701, 29-38.
- United Nations. (1995). *Recommended methods for the detection and assay of cocaine, amphetamine, methamphetamine and ring-substituted amphetamine derivatives in biological specimens*. New York: United Nations.
- Veuthey, J. L., & Haerdi, W. (1990). Separation of amphetamines by supercritical fluid chromatography. *Journal of Chromatography*, 515, 385-390.
- Waldemar, W., Piotr, S., & Janusz, C. (2003). Evaluation of headspace solid-phase micro extraction for the analysis of volatile carbonyl compounds in spirits and alcoholic beverages. *Journal of Chromatography A*, 984, 89-96.
- Weller, M. G. (1990). *Gas chromatography: A practical course*. New York: VCH.
- Williams, T. A., Riddle, M., Morgan, S. L., & Brewer, W. E. (1999). Rapid gas chromatographic analysis of drugs of forensic interest. *Journal of Chromatographic Science*, 37(6), 210-213.
- Windholz, M., Budavari, S., Blumetti, R. F., & Otterbein, E. S. (1983). *The merck index an encyclopedia of chemicals, drugs and biologicals* (10th ed.). New York: Merck & CO.
- Yang, S.S., Huang, C.B., & Smetena, I. (2002). Optimization of headspace sampling using solid-phase microextraction for volatile components in tobacco. *Journal of Chromatography A*, 942, 33-39.
- Youn, Y. S., Shu, S. W., Mylaine, T., & Yaping, H. (2003). Analysis of polychlorinated biphenyls in aqueous samples by microwave-assisted headspace solid-phase microextraction. *Journal of Chromatography A*, 1008, 1-12.